

# Stilt

## technical specification



.mdd

**.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.**

The realities of today`s market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company.

Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

**More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service. .mdd is highly aware of the environment.**

Being located in the forest region with lake by it's side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



## General informations:

### Warranty:

.mdd products - **5 years.**

Electrical components and fabric - **2 years.**

### Certificate - MFC:



### Certificate - fabric:



### Assembly:


the product comes pre-assembled

### Packing:


foam wrap, cardboard

|       |                                   |   |                             |
|-------|-----------------------------------|---|-----------------------------|
| Stilt | Date of preparation<br>27.10.2021 | The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document. | page 2/13                   |
|       |                                   |   | <b>general informations</b> |

**Stilt - armchair, sofa**




1. **Backrest** - 18 mm thick particle board framework; cut foam, density of 25 kg/m<sup>3</sup>; upholstered
2. **Armrests** - 18 mm thick particle board framework; cut foam, density of 40 kg/m<sup>3</sup>; upholstered
3. **Seat** - steel framework with springs; cut foam, density of 35 kg/m<sup>3</sup>; upholstered
4. **Base** - 4-legged, powder coated steel; legs made of tube Ø 30 mm, wall thickness 2 mm



**Accessories - armchair, sofa**


**OPTIONS WITH EXTRA CHARGE:**

1. **Mediabox M010** - USB A, C; 5V, 2x2,5 Amp
2. **Worktop** - MDF lacquered 19 mm - in frame colour; powder coated steel
3. **Castors** - with brakes; Ø75 mm



www.mdd.eu









**Stilt - shelving unit**




1. **Top** - 19 mm thick varnished MDF board with metal frame (3x50 mm)
2. **Shelf** - 19 mm thick varnished MDF board with metal frame (3x50 mm)
3. **Profile** - powder coated steel, Ø30 mm, wall thickness 2 mm
4. **Base** - 19 mm thick varnished MDF board with metal frame (3x50 mm)
5. **Leveling feet** - height 14mm, made from polythene, colour: black or grey

|                     |   |  |   |
|---------------------|---|--|---|
| <p><b>Stilt</b></p> | <p>Date of preparation<br/>27.10.2021</p> | <p>The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.</p> | <p>page 3/13<br/><b>technical specification</b></p> |
|---------------------|---|--|---|

Dimensions - armchair, sofa














Dimensions - stool




|              |                                   |   |                        |
|--------------|-----------------------------------|---|------------------------|
| <b>Stilt</b> | Date of preparation<br>27.10.2021 | The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document. | page 5/13              |
|              |                                   |   | <b>dimensions (mm)</b> |


Dimensions - shelving unit




Stilt - armchair, sofa \*




**SIS1**  
932 / 718 / 758  
36 kg




**SIS2**  
1632 / 718 / 758  
51.3 kg




**SIS3**  
2032 / 718 / 758  
61.5 kg



**SISH1**  
932 / 718 / 1158  
51.9 kg




**SISH2**  
1632 / 718 / 1158  
72.1 kg



**SISH3**  
2032 / 718 / 1158  
55 kg

Stilt - stool \*



**SIS4**  
901 / 706 / 441  
36 kg

\* dimensions expressed in millimeters: width x depth x height

|              |                                   |   |                 |
|--------------|-----------------------------------|---|-----------------|
| <b>Stilt</b> | Date of preparation<br>27.10.2021 | The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document. | page 7/13       |
|              |                                   |   | <b>products</b> |


Stilt - bookcase \*




**SIRS1**  
400 / 400 / 470  
10.9kg




**SIR1**  
800 / 400 / 470  
17.4 kg



**SIR2**  
800 / 400 / 867  
26.6 kg




**SIR3**  
800 / 400 / 1264  
36.7 kg




**SIR4**  
800 / 400 / 1660  
46 kg




**SIR5**  
800 / 400 / 2058  
55.2 kg




**SIR21**  
1600 / 400 / 470  
31 kg




**SIR22**  
1600 / 400 / 867  
47.6 kg



**SIR23**  
1600 / 400 / 1264  
63.9 kg



**SIR24**  
1600 / 400 / 1160  
80.6 kg



**SIR25**  
1600 / 400 / 2058  
96.9 kg

\* dimensions expressed in millimeters: width x depth x height



Armchair, sofa

Fabric Medley - second price group



**Technical data:**

**Material** polyester 100%

**Fabric weight** 510 g/lm (16.45 oz./lin.yd.)

**Abrasion resistance rubs** BS EN ISO 12947-2, 75,000 cykli Martindale

**Pilling resistance** scale 1-5, max. 5, EN ISO 12945-2 (4)

**Colour fastness to light** scale 1-8, max. 8, EN ISO 105-B02 (5-7)

**Colour fastness to rubbing** scale 1-5, max. 5, EN ISO 105x12 (wet/dry (4-5/4-5))

**Acoustic test sound absorption** ISO 354

**Flammability** BS EN 1021-1 (cigarette)  
BS 476 Part 7, Class 2  
Class Uno UNI 9174 - UNI 8457  
CA TB 117-2013  
ASTM E 84 Class I

Fabric Atlantic \* - second price group



**Technical data:**

**Material** polyester 100%

**Fabric weight** 530 g/lm (17.09 oz./lin.yd.)

**Abrasion resistance rubs** BS EN ISO 12947-2, 110,000 Martindale cycles

**Pilling resistance** scale 1-5, max. 5, EN ISO 12945-2 (4-5)

**Colour fastness to light** scale 1-8, max. 8, EN ISO 105-B02 (5-7)

**Colour fastness to rubbing** scale 1-5, max. 5, EN ISO 105x12 (wet/dry)

**Flammability** CA TB 117-2013  
ASTM E 84 Class I  
BS EN 1021-2 (match)  
BS EN 1021-1 (cigarette)

Fabric Vita - second price group



**Technical data:**

**Material** Surface: 98,5% PVC, 1,5% PU  
Substrate: 50% poliester, 50% Cotton

**Fabric weight** 850g/m2 ± 10% (1190G/lin. m ± 10%)

**Abrasion resistance rubs** BS EN ISO 5470-2, 100,000 Martindale cycles

**Colour fastness to light** 6 (ISO 105 - B02)

**Colour fastness to rubbing** wet: 4, dry: 4 (ISO 105 - X12)

**Flammability** BS EN 1021 - (cigarette)  
BS EN 1021 - 2 (match)  
BS 5852 - (Ignition Source 5)  
BS 7176 - (Medium Hazard)

**Flexes** BS EN ISO 7854 - Method B, 400.000 Flexing cycles

**Anti-microblal / Anti-fungal** AATCC 147

\* There is a possibility of ordering the product in full colour spectrum of Atlantic range, as per Gabriel's pattern book, within 8 weeks

### Fabric Charles - second price group



**Technical data:**

**Material** 100% polyester  
**Fabric weight** 433g/m2  
**Abrasion resistance rubs** 90,000 Martindale cycles (EN ISO 12947-2)  
**Pilling resistance** EN ISO 12945-2, 5  
**Light fastness** EN ISO 105-B02, 5  
**Rubbing fastness** dry: 4-5, wet: 4-5, EN ISO 105x12  
**Flammability** EN 1021, 1


### Fabric Mica - second price group



**Technical data:**

**Material** post-consumer recycled polyester 97%, polyester 3%  
**Fabric weight** 305 g/lm  
**Abrasion resistance rubs** 60,000 rubs martindale (EN ISO 12947-2)  
**Pilling resistance** scale 1-5, max. 5 - EN ISO 12945-2, 4-5  
**Light fastness** scale 1-8, max. 8 - EN ISO 105-B02, 5-8  
**Rubbing fastness** dry: 4-5, wet: 4-5, scale 1-5, max. 5 - EN ISO 105x12  
**Flammability** CA TB 117-2013  
 ASTM E 84 Class I  
 BS EN 1021-1 Cigarette  
 BS EN 1021-2 Match  
 BS 476 Part 7 class I

### Fabric Go Check - second price group



**Technical data:**

**Material** 100% Trevira CS  
**Fabric weight** 435g/lm  
**Abrasion resistance rubs** 80,000 rubs martindale (EN ISO 12947-2)  
**Pilling resistance** scale 1-5, max. 5 - EN ISO 12945-2, 5  
**Light fastness** scale 1-8, max. 8 - EN ISO 105-B02, 5-8  
**Rubbing fastness** dry: 4-5, wet: 4-5, scale 1-5, max. 5 - EN ISO 105x12  
**Flammability** BS EN 1021 1&2 Cigarette and Match  
 BS EN 1021-1 Cigarette  
 BS 5852 Crib 5  
 BS 7176 Medium hazard  
 DIN 4102 - B1  
 NFP 92-503/504/505 M1  
 ÖNORM A3800-B1-B3825-Q1 UK  
 Class Uno UNI 9175 Class 1 I EMME  
 FAR/JAR 25.853 (a) (i) (ii)  
 CA TB 117-2013  
 DIN EN 13501-1 B-s1,d0  
 AM 18 - NF D 60-013-(only for fabric)


### Fabric Xtreme - third price group



**Technical data:**

**Material** 100% Trevira Clame (CS)  
 100% Recykling (YS)  
 Flame Retardant polyester.  
 Non metallic dyestuffs.  
**Fabric weight** 310 g/m2 ±5% (435g/lin.m ±5%)  
**Abrasion resistance rubs** 60,000 Martindale cycles (CS)  
 100,000 Martindale cycles (YS)  
**Colour fastness to light** 6 (ISO 105 - B02)  
**Colour fastness to rubbing** wet: 4, dry: 4 (ISO 105 - X12)  
**Flammability** EN 1021 - 1 (cigarette),  
 EN 1021 - 2 (match)  
 BS 7176 Low Hazard,  
 NF P92-507 M1, DIN 4102 B1,  
 UNI 9175 Class 1 IM, UNI 8456,  
 UNI 9174 & UNI 9177 Classe Uno,  
 ÖNORM B 3825 & A 3800-1  
 NF D 60-013

### Fabric Synergy - third price group



**Technical data:**

**Material** 95% Virgin Wool, 5% Poliamid  
**Fabric weight** 400g/m2 ±5% (560 g/lin.m ±5%)  
**Abrasion resistance rubs** Independently certified  
 ≥100,000 Martindale cycles  
**Colour fastness to light** 5 (ISO 105 - B02)  
**Colour fastness to rubbing** ISO 105 - X12 - wet: 4, dry: 4  
**Flammability** EN 1021 - 1 (cigarette),  
 EN 1021 - 2 (match),  
 BS 7176 Low Hazard,  
 UNI 9175 Classe 1 IM,  
 ÖNORM B 3825 & A 3800-1

## Fabric Silvertex – third price group

There is a possibility of ordering the product in full colour spectrum of Silvertex range, as per Spradling’s pattern book, within 15 working days.

### Technical data:

|                              |  |
|------------------------------|--|
| <b>Material</b>              | Topcoat: 100% Vinyl<br>Backing: 100% Polyesterr Hi-Loft™   |
| <b>Fabric weight</b>         | 685 gr/m2  |
| <b>Abrasion resistance</b>   | >300,000 cycles Martindale   |
| <b>UV-resistance</b>         | >= 7 (1000 hours, blue wool scale)   |
| <b>Cold Crack resistance</b> | -23°C  |
| <b>Flame retardancy</b>      | NF P 92-503 / M2<br>EN 1021, Part 1&2<br>DIN 4102 B2<br>ÖNORM B 3825, Gruppe I – Schwerbrennbares Verhalten<br>ÖNORM A 3800, Teil I, Qualmbildungsklasse QI – schwachqualmend<br>IMO Res. MSC.307 (88) (2010 FTP Code) Annex I Part 8<br>(MED) Marine Equipment Directive in its current valid version<br>UNI 9175 (1987) / UNI 9175/FAI (1994) Classe I.IM (uno I EMME)<br>UNE 23.727-90 IR /M2<br>EN 71-2: 2006+AI: 2007 Safety of Toys – Part 2: Flammability<br>ECE R 118 (replaces Directive 95/28/EC)<br>FMVSS 302<br>FAR 25/853 |
| <b>Antimicrobial</b>         | Antifungal Protection, Antibacterial Protection, Antimycotic Protection  |

## Fabric Atlas – fourth price group



### Technical data:

|                                   |   |
|-----------------------------------|---|
| <b>Material</b>                   | 90% new wool, 10% nylon   |
| <b>Fabric weight</b>              | 286g/m2, 400g/lm  |
| <b>Abrasion resistance rubs</b>   | 100,000 cyklí Martindale, EN ISO 12947  |
| <b>Colour fastness to light</b>   | ISO 105 B02: 6-7  |
| <b>Colour fastness to rubbing</b> | ISO 105-X12:2001, (wet/dry) 4-5/4-5   |
| <b>Flammability</b>               | BS EN 1021-2 Match, BS EN 1021-1 Cigarette, BS 5 5852 Crib 5, BS 5852 ignition source 3, BS 5852 Part 1, NF D 60 013, UNI 9175 1M, US Cal. Bull. 117-2013 |

## Fabric Field2 – fourth price group



### Technical data:

|                                 |   |
|---------------------------------|---|
| <b>Material</b>                 | 100% Trevira CS   |
| <b>Fabric weight</b>            | 321g/m2, 450g/lm  |
| <b>Abrasion resistance rubs</b> | 100,000 cyklí Martindale, EN ISO 12947  |
| <b>Colour fastness to light</b> | ISO 105 B02: 5-7  |
| <b>Flammability</b>             | BS EN 1021-2 Match, BS EN 1021-1 Cigarette, BS 5 5852 Crib 5, DIN 4102 B1 FAR 25.853, UNI 9177 classe 1, US Cal. Bull. 117-2013 |

### Leather - fourth price group




**Technical data:**

**Material** Leather type - corrected grain leather  
 Type of finishing - pigmented leather  
**Abrasion resistance rubs** Dry: 500 cycles - min. 4 grey scale  
 Wet: 250 cycles - min. 4 grey scale  
 UNI EN ISO 11640  
**Colour fastness to light** Light fastness: min. 4 grey scale,  
 UNI ISO 105-802  
**Flammability** No ignition  
 UNI EN 1021-1-2006  
 BS EN 1021-1-2006

### Base - metal



### Bookcase - top and base



### Frame

